

SAMPLE SUBMITTAL FORM

Name-First name :

Date :

Company :

Number of samples :

Phone :

Email address :

PO number :

Material / Matrix :

- GDMS** Full Scan (bulk) 75 elements except C,N,O,H
 Partial Scan (2 to 25 elements except C,N,O,H) or Single Scan (check below)
 Bulk
 Depth Profile (1 to 12 elements)- please indicate the depth :

- ICP-MS (except F,S,Cl)** 1 to 8 elements (check below)
 9 to 25 elements (check below)
 26 to 69 elements (check below)

ICP-OES (except F,Cl,Br,I) (check below)

IGA* (check below)

| | LOD | Specification | | LOD | Specification | | LOD | Specification | | LOD | Specification |
|-----------------------------|-----|---------------|-----------------------------|-----|---------------|-----------------------------|-----|---------------|-----------------------------|-----|---------------|
| <input type="checkbox"/> H* | | | <input type="checkbox"/> Fe | | | <input type="checkbox"/> Ag | | | <input type="checkbox"/> Er | | |
| <input type="checkbox"/> Li | | | <input type="checkbox"/> Co | | | <input type="checkbox"/> Cd | | | <input type="checkbox"/> Tm | | |
| <input type="checkbox"/> Be | | | <input type="checkbox"/> Ni | | | <input type="checkbox"/> In | | | <input type="checkbox"/> Yb | | |
| <input type="checkbox"/> B | | | <input type="checkbox"/> Cu | | | <input type="checkbox"/> Sn | | | <input type="checkbox"/> Lu | | |
| <input type="checkbox"/> C* | | | <input type="checkbox"/> Zn | | | <input type="checkbox"/> Sb | | | <input type="checkbox"/> Hf | | |
| <input type="checkbox"/> F | | | <input type="checkbox"/> Ga | | | <input type="checkbox"/> Te | | | <input type="checkbox"/> Ta | | |
| <input type="checkbox"/> Na | | | <input type="checkbox"/> Ge | | | <input type="checkbox"/> I | | | <input type="checkbox"/> W | | |
| <input type="checkbox"/> Mg | | | <input type="checkbox"/> As | | | <input type="checkbox"/> Cs | | | <input type="checkbox"/> Re | | |
| <input type="checkbox"/> Al | | | <input type="checkbox"/> Se | | | <input type="checkbox"/> Ba | | | <input type="checkbox"/> Os | | |
| <input type="checkbox"/> Si | | | <input type="checkbox"/> Br | | | <input type="checkbox"/> La | | | <input type="checkbox"/> Ir | | |
| <input type="checkbox"/> P | | | <input type="checkbox"/> Rb | | | <input type="checkbox"/> Ce | | | <input type="checkbox"/> Pt | | |
| <input type="checkbox"/> S | | | <input type="checkbox"/> Sr | | | <input type="checkbox"/> Pr | | | <input type="checkbox"/> Au | | |
| <input type="checkbox"/> Cl | | | <input type="checkbox"/> Y | | | <input type="checkbox"/> Nd | | | <input type="checkbox"/> Hg | | |
| <input type="checkbox"/> K | | | <input type="checkbox"/> Zr | | | <input type="checkbox"/> Sm | | | <input type="checkbox"/> Tl | | |
| <input type="checkbox"/> Ca | | | <input type="checkbox"/> Nb | | | <input type="checkbox"/> Eu | | | <input type="checkbox"/> Pb | | |
| <input type="checkbox"/> Sc | | | <input type="checkbox"/> Mo | | | <input type="checkbox"/> Gd | | | <input type="checkbox"/> Bi | | |
| <input type="checkbox"/> Ti | | | <input type="checkbox"/> Ru | | | <input type="checkbox"/> Tb | | | <input type="checkbox"/> Th | | |
| <input type="checkbox"/> V | | | <input type="checkbox"/> Rh | | | <input type="checkbox"/> Dy | | | <input type="checkbox"/> U | | |
| <input type="checkbox"/> Cr | | | <input type="checkbox"/> Pd | | | <input type="checkbox"/> Ho | | | <input type="checkbox"/> N* | | |
| <input type="checkbox"/> Mn | | | | | | | | | <input type="checkbox"/> O* | | |

LOD = detection limit // **Specification** = expected value

In this space, please provide any new contact information or other comments that will help us process your samples
(purpose of analysis, sample identification, area...)

Rush service additional cost: 24h 48h 72h

Return OR Destruction of your samples :

- Choice 1: use our shipper => 20 € will be added to your invoice for a weight not exceeding 1.5 kg.
 Choice 2: use our shipper => please communicate your account number (FedEx-UPS-TNT or other):
 Choice 3 : no return => your samples will be systematically destroyed by us 1 month after analysis.